

## Heavy Duty Prespray Plus

Version Number: 1

Preparation date: 2014-06-10

### 1. IDENTIFICATION

**Product name:** Heavy Duty Prespray Plus  
**Product Code:** 93515034  
**SDS #:** MS0800271  
**Recommended use:** i`bXi grfjU#bgjh h;cbU  
 j`7 UfdYh7 UFY  
 j`H\jg' dfcXi Vh]g`]bHYbXYX'rc`VY`X]i`HYX`df]cf`tc`i`gY  
**Uses advised against:** Uses other than those identified are not recommended


**Manufacturer, importer, supplier:**  
 US Headquarters: Sealed Air  
 8215 Forest Point Blvd.  
 Charlotte, NC 28273-5509  
 Phone: 1-888-352-2249  
 SDS Internet Address: <https://sds.sealedair.com>  
 Canadian Headquarters: Sealed Air - Canada  
 3755 Laird Road  
 Mississauga, Ontario L5L 0B3  
 Phone: 1-800-668-3131

**Emergency telephone number:** 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion/irritation Category 2  
 Serious eye damage/eye irritation Category 1



**Signal Word:** Danger.

#### Precautionary Statements

##### **CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.**

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Dispose of in accordance with all federal, state and local applicable regulations.

**Health hazards not otherwise classified (HHNOC)** - Not applicable

**Physical hazards not otherwise classified (PHNOC)** - Not applicable



### Classification for the diluted product @ 1:40

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

### Precautionary Statements

None required.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Classified Ingredients

Ingredient(s)	CAS #	Weight %
2-Ethylhexyl sodium sulphate	126-92-1	5 - 10%
Alcohol ethoxylates	68439-46-3	5 - 10%
Diethylene glycol butyl ether	112-34-5	3% - < 5%
Sodium sulfate	7757-82-6	1% - < 3%
Sodium hydroxide	1310-73-2	> 0.1% - < 1%

\*Exact percentages are being withheld as trade secret information

## 4. FIRST AID MEASURES

### Undiluted Product:

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed:** Not applicable.

**Aggravated Medical Conditions:** Persons with pre-existing skin disorders may be more susceptible to irritating effects.

### Diluted Product:

**Eyes:** Rinse with plenty of water. If irritation occurs and persists, get medical attention.

**Skin:** Rinse with plenty of water. If irritation occurs and persists, get medical attention.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** Rinse mouth with water.

## 5. FIRE-FIGHTING MEASURES

**Specific methods:** No special methods required.

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Not applicable.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before

re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

**Aerosol Level (if applicable) :** Not applicable

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines:

Ingredient(s)	CAS #	ACGIH	OSHA
2-Ethylhexyl sodium sulphate	126-92-1	-	-
Alcohol ethoxylates	68439-46-3	-	-

**Information on likely routes of exposure:**

Eye contact, Skin contact, Inhalation, Ingestion

**Delayed, immediate, or chronic effects and symptoms from short and long-term exposure**

**Skin contact:** Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:**

