

## **Pro Strip Ultra Heavy Duty Floor Stripper**

**Version Number:** 4

**Preparation date:** 2015-06-12


### **1. IDENTIFICATION**

<b>Product name:</b>	Pro Strip Ultra Heavy Duty Floor Stripper
<b>Product Code:</b>	95386176
<b>SDS #:</b>	MS0800186
<b>Recommended use:</b>	• I

Physical hazards not otherwise classified (PHNOC) - Not applicable

**Classification for the diluted product @ 1:4**

Skin corrosion/irritation Category 2  
Serious eye damage/eye irritation Category 1



**Dilution Signal word:** Danger.

**Precautionary Statements**

**CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.**

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Dispose of in accordance with all federal, state and local applicable regulations.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Classified Ingredients**

Ingredient(s)	CAS #	Weight %
Monoethanolamine	141-43-5	20 - 30%
Benzyl alcohol	100-51-6	10 - 20%
Diethylene glycol butyl ether	112-34-5	5 - 10%
Sodium xylene sulfonate	1300-72-7	1% - < 3%
Alcohol ethoxylates	68439-46-3	1% - < 3%

\*Exact percentages are being withheld as trade secret information

**4. FIRST AID MEASURES**

**Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed:** Not applicable.

**Aggravated Medical Conditions:** Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

**Diluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**5. FIRE-FIGHTING MEASURES**

**Specific methods:** No special methods required

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.  
**Specific hazards:** Not applicable.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.).  
**Environmental precautions and clean-up methods:** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

**Aerosol Level (if applicable) :** Not applicable

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines:**

Ingredient(s)	CAS #	ACGIH	OSHA
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m <sup>3</sup> (TWA)
Benzyl alcohol	100-51-6	-	-
Diethylene glycol butyl ether	112-34-5	10 ppm (TWA)	-
Sodium xylene sulfonate	1300-72-7	-	-
Alcohol ethoxylates	68439-46-3	-	-

**Undiluted Product:**

**Engineering measures to reduce exposure:**

Use only in well-ventilated areas Respiratory protection is not required if good ventilation is maintained.

**Personal Protective Equipment**

**Eye protection:** Chemical-splash goggles.  
**Hand protection:** Chemical-resistant gloves.  
**Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.  
**Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

**Diluted Product:**

**Personal Protective Equipment**

**Eye protection:** Chemical-splash goggles.  
**Hand protection:** Chemical-resistant gloves.  
**Skin and body protection:** No personal protective equipment required under normal use conditions.  
**Respiratory protection:** No personal protective equipment required under normal use conditions.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

**Physical State:** Liquid  
**Evaporation Rate:** No information available  
**Odor threshold:** No information available.  
**Melting point/range:** Not determined  
**Autoignition temperature:** No information available  
**Solubility in other solvents:** No information available  
**Density:** 8.55 lbs/gal 1.025 Kg/L

**Color:** Clear, Straw  
**Odor:** Cherry Almond Solvent  
**Boiling point/range:** Not determined  
**Decomposition temperature:** Not determined  
**Solubility:** Completely Soluble  
**Relative Density (relative to water):** 1.025  
**Vapor density:** No information available

**Bulk density:** No information available

**Vapor pressure:** cm .75294 .75294 .75294 rg 1080 -14199 3132 -184 re f Q

**Explosion limits:** - upper: Not determined - lower: Not determined

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

**Reactivity:** Not Applicable  
**Stability:** The product is stable  
**Hazardous decomposition products:** None reasonably foreseeable.  
**Materials to avoid:** Do not mix with any other product or chemical unless specified in the use directions.  
**Conditions to avoid:** No information available.

## 11. TOXICOLOGICAL INFORMATION

# No in

**Information on likely routes of exposure:**  
Eye contact, Skin contact, Inhalation, Ingestion

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):** None known

### Numerical measures of toxicity

**ATE - Oral (mg/kg):** 4000

**ATE - Dermal (mg/kg):** 3700

**ATE - Inhalatory, mists (mg/l):** 7.4

**ATE - Inhalatory, vapors (mg/l):** >50

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products:** This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Contaminated Packaging:** Do not re-use empty containers.

**RCRA Hazard Class (undiluted product):** Not Regulated

**RCRA Hazard Class (diluted product):** Not Regulated

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, **only available through Internet Explorer**, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

**DOT (Ground) Bill of Lading Description:** UN2491, ETHANOLAMINE SOLUTIONS, 8, III

**IMDG (Ocean) Bill of Lading Description:** UN2491, ETHANOLAMINE SOLUTIONS, 8, III

## 15. REGULATORY INFORMATION

### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA).

### U.S. Regulations

**California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65.

### RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Monoethanolamine	141-43-5	X	X	X	-
Benzyl alcohol	100-51-6	X	-	X	-
Diethylene glycol butyl ether	112-34-5	-	X	-	-
Sodium xylene sulfonate	1300-72-7	-	-	-	-
Alcohol ethoxylates	68439-46-3	-	-	-	-

### CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol butyl ether	112-34-5	5 - 10%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol butyl ether	X		

### SARA 311/312 Hazard Categories

Immediate: X  
Delayed: -  
Fire: -  
Reactivity: -  
Sudden Release of Pressure: -

### Canadian Regulations

Ingredient(s)	CAS #	NPRI
Diethylene glycol butyl ether	112-34-5	X

## 16. OTHER INFORMATION

### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3  
Flammability 0  
Instability 0

Version Number: 4  
Preparation date: 2015-06-12

Reason for revision: Not applicable  
Prepared by: NAPRAC  
Additional advice: • Contains an added fragrance, see "Odor" heading in section 9 for specific description

Pro Strip Ultra Heavy Duty Floor Stripper

5 of 6

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*